

Bruarong Provenance Trial - Agroforestry Project 1994. Measured August 1994.				Planted October 1989							
Species/Provenance	Species No.	Block	Tree	Height (m)	Diam 2007(cm)	Height07 (m)	TreeBA (m <sup>2</sup> )	AvDi	Avg Ht	Surv	TreeAv
A.mearnsii Bungendore	1	1	1	9.5	33.0	12.9		25.4	15.2	100	
	1	1	2	8.4							
	1	1	3	10.8	27.2	12.74					
	1	1	4	11.2							
	1	1	5	7.8							
	1	1	6	10.1	23.5	15.3					
	1	1	7	9.8							
	1	1	8	10.4	22.5	13.7					
	1	1	9	11.9	24.0	20.13					
	1	1	10	10.4							
	1	1	11	11.8	24.5	19.05					
	1	1	12	9.7							
	1	1	13	10.7	23.7	12.8					
	1	1	14	9.7							
	1	1	15	11.0	25.1	15.34					
A.mearnsii Beechworth	2	1	1	6.7	27.0	10.8		23.5	10.0	100	
	2	1	2	9.4	29.5	10.75					
	2	1	3	8.5							
	2	1	4	7.4	29.5	10					
	2	1	5	6.9							
	2	1	6	6.7	18.2	9.94					
	2	1	7	8.0	19.2						
	2	1	8	7.2							
	2	1	9	8.1	19.1	9.37					
	2	1	10	9.2							
	2	1	11	8.7	21.0	10.43					
	2	1	12	10.1							
	2	1	13	9.0	26.4	9.3					
	2	1	14	11.2	22.0	9.2					
	2	1	15	9.7							
A.dealbata Errinundra	3	1	1					29.2	14.2	87	
	3	1	2	7.9							
	3	1	3	10.4							
	3	1	4	8.1	28.2	13.57					
	3	1	5	10.0	28.0	14.21					
	3	1	6	10.5	29.0	13.7					
	3	1	7	11.0							
	3	1	8	10.3							
	3	1	9	10.2	36.2	14.17					
	3	1	10	9.9							
	3	1	11	8.7	23.5	13.89					
	3	1	12	8.7							
	3	1	13	5.5							
	3	1	14	9.9	30.2	15.94					
	3	1	15	9.3							
A.melanoxylon Silver Ck	4	1	1	3.8	14.5	12.1		11.5	8.7	97	
	4	1	2	5.1	16.2	11.96					
	4	1	3	2.9	6.5						
	4	1	4	4.5	11.5	11.09					
	4	1	5	4.0	6.0						
	4	1	6	4.3	14.5	9.45					
	4	1	7	4.4	14.8	8.07					
	4	1	8	4.3	12.5	8.94					
	4	1	9	5.3	14.7	8.21					
	4	1	10	4.2	8.2	5.84					
	4	1	11	4.0	9.0						
	4	1	12	3.0	11.2	7.58					
	4	1	13	5.1	7.8	5.94					
	4	1	14	5.0							
	4	1	15	7.1	14.0	6.8					
E.camaldulensis Ovens	5	1	1	3.7				8.5	8.1	73	
	5	1	2	1.6							
	5	1	3	2.0							
	5	1	4	2.2	13.0	11.7					
	5	1	5	2.3	3.0	5					
	5	1	6	2.9							
	5	1	7	3.1	9.2	5.08					
	5	1	8	4.3	9.3						
	5	1	9	4.4	13.4	9.36					
	5	1	10	2.7	11.4	10.77					
	5	1	11	3.4	4.0	6					
	5	1	12	4.6	8.5	10.54					
	5	1	13	3.6	10.0	10.13					
	5	1	14	3.2	8.5	8.13					
	5	1	15	3.7	3.0	4					
E.camaldulensis Albacutya	6	1	1	3.9	11.8	9.9		10.1	8.5	93	
	6	1	2	4.9	14.2	10.43					
	6	1	3	2.4	3.0	4					
	6	1	4								
	6	1	5	3.8	9.8	8.09					
	6	1	6	2.6							
	6	1	7	4.1	13.0	9.8					
	6	1	8	4.3	13.5	8.7					
	6	1	9	3.3	8.2	11.2					
	6	1	10	3.2	6.5	11.1					
	6	1	11	4.9	21.0	11.1					
	6	1	12	1.8	2.0	3					
	6	1	13	3.3	6.1	7.7					
	6	1	14	4.6	9.3	7.8					
	6	1	15	4.5	13.0	7.7					
E.camaldulensis Clone 1	7	1	1	1.2						0	

	7	1	2	0.6			DEAD				
	7	1	3	0.7			DEAD				
	7	1	4	0.5			DEAD				
	7	1	5	1.1			DEAD				
	7	1	6	0.2			DEAD				
	7	1	7	1.1			DEAD				
	7	1	8	0.5			DEAD				
	7	1	9	3.7			DEAD				
	7	1	10	1.7			DEAD				
	7	1	11	1.2			DEAD				
	7	1	12	2.0			DEAD				
	7	1	13	3.6			DEAD				
	7	1	14	1.5			DEAD				
	7	1	15	4.8			DEAD				
<b>E.camaldulensis Clone 2</b>	8	1	1	2.0			DEAD	4.3	3.5	27	
	8	1	2	1.9			DEAD				
	8	1	3	2.5	6.5	5					
	8	1	4	0.9			DEAD				
	8	1	5	1.8	3.0	3	DEAD				
	8	1	6	2.0	6.0		BROKEN				
	8	1	7	2.7			DEAD				
	8	1	8	1.8			DEAD				
	8	1	9	1.2			DEAD				
	8	1	10	1.0			DEAD				
	8	1	11	1.9	3.0	3					
	8	1	12	2.0	3.0	3					
	8	1	13	2.6			DEAD				
	8	1	14	2.0			DEAD				
	8	1	15	2.3			DEAD				
<b>E.nitens Brown Mtn</b>	9	1	1				DEAD	36.5	21.1	7	
	9	1	2				DEAD				
	9	1	3	10.6			DEAD				
	9	1	4	9.8			DEAD				
	9	1	5	10.2			DEAD				
	9	1	6	10.9	36.5	17.1					
	9	1	7	11.1			DEAD				
	9	1	8	10.9			DEAD				
	9	1	9	10.4			DEAD				
	9	1	10	11.7			DEAD				
	9	1	11	10.1			DEAD				
	9	1	12				DEAD				
	9	1	13	10.4		25	DEAD				
	9	1	14	9.7			DEAD				
	9	1	15	10.1			DEAD				
<b>E.globulus Beechworth</b>	10	1	1	11.7	47.3	16.3		44.6	18.1	47	
	10	1	2	11.4			DEAD				
	10	1	3	12.9	61.5	17.2					
	10	1	4	12.0			DEAD				
	10	1	5	12.3	49.2	20.2					
	10	1	6	7.2			DEAD				
	10	1	7	12.2	41.1	19.8					
	10	1	8	10.4			DEAD				
	10	1	9	11.4			DEAD				
	10	1	10	11.7	41.2	16.1					
	10	1	11	12.3	35.0	18.12					
	10	1	12	10.5			DEAD				
	10	1	13	11.3	37.0	18.67					
	10	1	14	8.7			DEAD				
	10	1	15	5.7			DEAD				
<b>E.globulus Tasmania</b>	11	1	1	6.8	20.7	16.0		15.4	13.4	7	
	11	1	2				DEAD				
	11	1	3	3.3			DEAD				
	11	1	4	4.3			DEAD				
	11	1	5	5.8			DEAD				
	11	1	6	4.3			DEAD				
	11	1	7				DEAD				
	11	1	8				DEAD				
	11	1	9	4.7			DEAD				
	11	1	10	1.5			DEAD				
	11	1	11	3.8	9.2	12.3	DEAD				
	11	1	12	6.9			DEAD				
	11	1	13	7.0			DEAD				
	11	1	14		16.2	12	DEAD				
	11	1	15				DEAD				
<b>E.melliodara Gundaroo</b>	12	1	1	1.9			DEAD			0	
	12	1	2	4.0			DEAD				
	12	1	3	1.0			DEAD				
	12	1	4	0.7			DEAD				
	12	1	5	2.0	3.0		DEAD				
	12	1	6	0.1	4.0	2	DEAD				
	12	1	7	2.6			DEAD				
	12	1	8	0.6			DEAD				
	12	1	9	1.2			DEAD				
	12	1	10	0.6			DEAD				
	12	1	11	0.6			DEAD				
	12	1	12	1.2			DEAD				
	12	1	13				DEAD				
	12	1	14	1.8			DEAD				
	12	1	15	1.2			DEAD				
<b>E.melliodara Springhurst</b>	13	1	1	0.5			DEAD			0	
	13	1	2	0.4			DEAD				
	13	1	3				DEAD				
	13	1	4				DEAD				
	13	1	5				DEAD				

	13	1	6	0.1			DEAD				
	13	1	7				DEAD				
	13	1	8	1.2			DEAD				
	13	1	9	2.0			DEAD				
	13	1	10				DEAD				
	13	1	11	0.5			DEAD				
	13	1	12	0.4			DEAD				
	13	1	13	0.1			DEAD				
	13	1	14	1.1			DEAD				
	13	1	15	0.2			DEAD				
<b>E.viminalis Victoria</b>	14	1	1				DEAD	18.3	15.4	60	
	14	1	2	10.0	26.0	16.1					
	14	1	3	9.8			DEAD				
	14	1	4	8.7			T				
	14	1	5				DEAD				
	14	1	6	9.3			DEAD				
	14	1	7	8.2			DEAD				
	14	1	8	9.2	14.0	12.2					
	14	1	9	5.3			T				
	14	1	10	7.5			DEAD				
	14	1	11		13.0	13					
	14	1	12	8.9	16.5	15.65					
	14	1	13	10.4			T				
	14	1	14	8.1	22.1	19.9					
	14	1	15	10.4			D				
<b>E.viminalis ACT</b>	15	1	1	5.6	38.0	14.6		35.9	15.6	93	
	15	1	2	5.4	28.2	15.88					
	15	1	3	4.7			T				
	15	1	4	5.5	32.3	13.2					
	15	1	5	5.3			T				
	15	1	6	5.5	30.8	15.18					
	15	1	7	4.7	36.1	15.8					
	15	1	8	8.7	39.0	15.18					
	15	1	9	10.0			T				
	15	1	10	9.8	37.2	15.3					
	15	1	11	10.2			T				
	15	1	12	8.7			DEAD				
	15	1	13	5.4	38.6	18.6					
	15	1	14	9.8	42.5	16.5					
	15	1	15	9.8			T				
<b>E.benthami NSW</b>	16	1	1				DEAD	42.1	14.5	87	
	16	1	2	4.0	12.6	10.19					
	16	1	3	3.4	145.0	9.26					
	16	1	4				DEAD				
	16	1	5	5.4	31.0	12.89					
	16	1	6	5.6	29.3	19.41					
	16	1	7	5.8			T				
	16	1	8	6.8			T				
	16	1	9	8.5	32.5	15.58					
	16	1	10	6.6	27.0	15.49					
	16	1	11	7.1	30.7	18.1					
	16	1	12	6.7	28.9	15.2					
	16	1	13	3.2			T				
	16	1	14	5.0			T				
	16	1	15	6.7			T				
<b>E.macarthuri NSW</b>	17	1	1	5.9	28.0	13.6		25.2	13.8	80	
	17	1	2	3.1			DEAD				
	17	1	3				DEAD				
	17	1	4				DEAD				
	17	1	5	3.8			T				
	17	1	6	5.9	25.2	11.58					
	17	1	7	5.6			T				
	17	1	8	8.6	25.6	17.3					
	17	1	9	6.7			T				
	17	1	10	8.8			T				
	17	1	11	6.7			T				
	17	1	12	4.2			T				
	17	1	13	6.9	22.0	12.93					
	17	1	14	6.4			T				
	17	1	15	5.7			T				
<b>A.mearnsii Bungendore</b>	1	2	1		29.5	13.6		21.2	13.5	80	
	1	2	2	9.7			DEAD				
	1	2	3	10.0	19.8	15					
	1	2	4	9.4	22.5	12.8					
	1	2	5	9.7	22.7	15.6					
	1	2	6	9.9			T				
	1	2	7	5.6	22.1	12.7					
	1	2	8	10.4	19.8	12.3					
	1	2	9	9.7	15.6	14.2					
	1	2	10	10.2			T				
	1	2	11	9.7			DEAD				
	1	2	12	10.7	21.4	15					
	1	2	13	10.0			T				
	1	2	14	8.7			DEAD				
	1	2	15		17.0	10.7					
<b>A.mearnsii Beechworth</b>	2	2	1	8.5	19.4		Top broken	17.9	13.1	87	
	2	2	2	9.0			T				
	2	2	3	8.8	21.8	17.6					
	2	2	4	9.2			T				
	2	2	5	8.9			T				
	2	2	6	7.9	17.2	11.36					
	2	2	7	7.2			T				
	2	2	8	9.0			T				
	2	2	9	8.4			T				

	2	2	10	7.5	20.1	10.8													
	2	2	11	8.8			T												
	2	2	12	8.5	13.7	11.96	DEAD												
	2	2	13	9.2	15.1	14.1													
	2	2	14	7.9	18.0	12.8													
	2	2	15	9.3			DEAD												
A.dealbata Errinundra	3	2	1	9.3	27.2	11.5		27.8	13.1	77									
	3	2	2	11.3			DEAD												
	3	2	3	10.4			DEAD												
	3	2	4	10.0			T												
	3	2	5	9.4	33.7	13	DEAD												
	3	2	6	8.6			DEAD												
	3	2	7	8.4	24.6	13.15													
	3	2	8	7.3			T												
	3	2	9	9.3	27.5	14.7													
	3	2	10	9.3	34.5		Top broken												
	3	2	11	8.7			T												
	3	2	12				DEAD												
	3	2	13	9.3	19.2	13.05													
	3	2	14	11.8			T												
	3	2	15	8.8			T												
A.melanoxylon Silver Ck	4	2	1				DEAD												0
	4	2	2				DEAD												
	4	2	3	4.0	<10														
	4	2	4				D												
	4	2	5	4.8	<10														
	4	2	6	5.5	<10														
	4	2	7	4.2	<10														
	4	2	8	2.0	<10														
	4	2	9	4.9	<10														
	4	2	10	6.4	<10														
	4	2	11	6.9	<10														
	4	2	12	5.2	<10														
	4	2	13				D												
	4	2	14	3.2	<10														
	4	2	15	5.5	<10														
E.camaldulensis Ovens	5	2	1	2.9															0
	5	2	2	1.7															
3 alive <5	5	2	3	1.6															
	5	2	4	3.1															
	5	2	5	3.2															
	5	2	6	5.3															
	5	2	7	5.4															
	5	2	8	1.0															
	5	2	9	4.9															
	5	2	10	4.9															
	5	2	11	4.5															
	5	2	12	4.0															
	5	2	13	4.0															
	5	2	14	4.3															
	5	2	15	0.5															
E.camaldulensis Albacutya	6	2	1	3.7															0
	6	2	2	0.6															
	6	2	3	3.2															
	6	2	4	1.7															
	6	2	5	3.5															
	6	2	6	3.2															
	6	2	7	3.3															
	6	2	8																
	6	2	9	2.7															
	6	2	10	4.0															
	6	2	11	3.7															
	6	2	12	6.2															
	6	2	13	3.1															
	6	2	14	3.3															
	6	2	15	4.0															
E.camaldulensis Clone 1	7	2	1	1.0															0
	7	2	2	0.6															
all dead	7	2	3	0.6															
	7	2	4	3.3															
	7	2	5	1.5															
	7	2	6	0.4															
	7	2	7	0.9															
	7	2	8	1.2															
	7	2	9	2.3															
	7	2	10	4.2															
	7	2	11	3.2															
	7	2	12	3.2															
	7	2	13	1.2															
	7	2	14	0.8															
	7	2	15	4.2															
E.camaldulensis Clone 2	8	2	1																0
	8	2	2	1.3															
all dead	8	2	3	1.0															
	8	2	4	1.1															
	8	2	5	0.9															
	8	2	6	1.1															
	8	2	7	1.0															
	8	2	8	1.2															
	8	2	9																
	8	2	10	2.2															
	8	2	11	2.5															
	8	2	12	1.4															
	8	2	13	1.6															

	8	2	14	2.5																
	8	2	15	2.1																
<b>E.nitens Brown Mtn</b>	9	2	1	8.5						DEAD	32.5	12.4	13							
	9	2	2	6.3						DEAD										
	9	2	3							DEAD										
	9	2	4	5.2		32.0		12.4												
	9	2	5	3.5						DEAD										
	9	2	6	8.6						DEAD										
	9	2	7	8.6		33.0		12.3												
	9	2	8	9.8						DEAD										
	9	2	9	9.5						DEAD										
	9	2	10	10.8						DEAD										
	9	2	11	11.2						DEAD										
	9	2	12	11.3						DEAD										
	9	2	13	11.8						DEAD										
	9	2	14	11.4						DEAD										
	9	2	15	8.8						DEAD										
<b>E.globulus Beechworth</b>	10	2	1	8.4		24.5		12.8			31.8	16.6	93							
	10	2	2	6.2						T										
	10	2	3	9.2		42.2		18.6												
	10	2	4	7.8		30.0		17.93												
	10	2	5	6.9						T										
	10	2	6	8.8		32.9		17.3												
	10	2	7	8.7		34.5		17.3		DEAD										
	10	2	8	8.3						T										
	10	2	9	9.8		36.0		14.1												
	10	2	10	10.4						T										
	10	2	11	10.0		26.5		15.36												
	10	2	12	8.3						T										
	10	2	13	7.9						T										
	10	2	14	7.9		43.2		22.04												
	10	2	15	10.4		16.2		13.65												
<b>E.globulus Tasmania</b>	11	2	1	7.9							21.5	17.7	44							
	11	2	2							DEAD										
	11	2	3	7.7						DEAD										
	11	2	4	10.4						T										
	11	2	5							DEAD										
	11	2	6	10.2						T										
	11	2	7	9.7		18.0		15.4												
	11	2	8	10.4						DEAD										
	11	2	9	9.8						DEAD										
	11	2	10			24.9		19.9												
	11	2	11							DEAD										
	11	2	12							DEAD										
	11	2	13	2.1						DEAD										
	11	2	14							DEAD										
	11	2	15	8.0						DEAD										
<b>E.melliodara Gundanoo</b>	12	2	1	0.8																0
	12	2	2	1.2																
	12	2	3	1.5																
	12	2	4	0.3																
	12	2	5	1.1																
	12	2	6	0.3																
	12	2	7	0.5																
	12	2	8	0.3																
	12	2	9	2.1																
	12	2	10	2.5																
	12	2	11	0.6																
	12	2	12	4.3																
	12	2	13	1.4																
	12	2	14	0.9																
	12	2	15	1.3																
<b>E.melliodara Springhurst</b>	13	2	1	0.1																0
	13	2	2	0.1																
<b>3 alive &lt;5 cm</b>	13	2	3	2.1																
	13	2	4																	
	13	2	5	0.2																
	13	2	6	3.9																
	13	2	7	1.1																
	13	2	8																	
	13	2	9	4.2																
	13	2	10	8.0																
	13	2	11	4.5																
	13	2	12	0.1																
	13	2	13																	
	13	2	14	2.2																
	13	2	15	1.9																
<b>E.viminalis Victoria</b>	14	2	1	6.4																0
	14	2	2	6.6																
<b>2 alive &lt;15cm poor form</b>	14	2	3	8.3																
	14	2	4	8.4																
	14	2	5	6.3																
	14	2	6	6.4																
	14	2	7	5.7																
	14	2	8	6.9																
	14	2	9	7.6																
	14	2	10																	
	14	2	11	4.8																
	14	2	12	2.0																
	14	2	13																	
	14	2	14	4.5																
	14	2	15	3.3																
<b>E.viminalis ACT</b>	15	2	1	9.9		47.3		15.9			48.6	18.2	86							
	15	2	2	9.3						T										

	15	2	3	11.5	34.2	19.7				
	15	2	4	7.4	48.2	18.5				
	15	2	5	6.4			T			
	15	2	6	11.2			T			
	15	2	7	14.8	46.0	14.25				
	15	2	8	13.6	52.5	21.3				
	15	2	9	11.3			T			
	15	2	10	12.6			T			
	15	2	11	13.2	59.0		DEAD			
	15	2	12	4.2			DEAD			
	15	2	13	12.1	61.8	18.2				
	15	2	14	10.7	44.0	16				
	15	2	15	11.7	44.8	22				
<b>E.benthami NSW</b>	16	2	1	5.8			T	34.5	16.7	80
	16	2	2	8.4	32.4	15.6				
	16	2	3	7.0			T			
	16	2	4	8.6	39.4	14.4				
	16	2	5	5.8			T			
	16	2	6	4.6			DEAD			
	16	2	7	7.9	36.2	16.8				
	16	2	8	7.1			T			
	16	2	9	6.8			T			
	16	2	10	8.9	38.1	19.6				
	16	2	11	6.8			T			
	16	2	12	8.9			DEAD			
	16	2	13	8.2			DEAD			
	16	2	14	8.1	29.5	15.8				
	16	2	15	7.9	31.1	17.9				
<b>E.macarthurii NSW</b>	17	2	1	6.8				25.3	15.2	93
	17	2	2	4.8	22.0	13.1				
	17	2	3	6.0			T			
	17	2	4	5.5			DEAD			
	17	2	5	5.4			T			
	17	2	6	1.0	24.6	15.4				
	17	2	7	7.7	23.2	16.2				
	17	2	8	6.6			T			
	17	2	9	7.1			T			
	17	2	10	7.1	20.8	14.65				
	17	2	11	7.4			T			
	17	2	12	4.6	26.2	15.5				
	17	2	13	10.3			T			
	17	2	14	9.8	30.7	14.04				
	17	2	15	9.4	29.4	17.2				
<b>A.mearnsii Bungendore</b>	1	3	1	10.4			DEAD	21.6	13.7	20
	1	3	2	9.6	24.2		Top broken			
	1	3	3	10.4			DEAD			
	1	3	4				DEAD			
	1	3	5	11.2	19.0	13.7				
	1	3	6	10.2			DEAD			
	1	3	7	10.4			DEAD			
	1	3	8	10.7			DEAD			
	1	3	9	8.5			DEAD			
	1	3	10	9.3			DEAD			
<b>A.mearnsii Beechworth</b>	2	3	1	10.0			DEAD	14.5	12.9	10
	2	3	2	10.2			DEAD			
	2	3	3	9.7			DEAD			
	2	3	4	10.8			DEAD			
	2	3	5	10.4			DEAD			
	2	3	6	10.7			DEAD			
	2	3	7	11.8	14.5	12.9				
	2	3	8				DEAD			
	2	3	9	7.6			DEAD			
	2	3	10	7.4			DEAD			
<b>A.dealbata Errinundra</b>	3	3	1	4.3			DEAD	32.2	14.9	10
	3	3	2	5.0			DEAD			
	3	3	3	9.5			DEAD			
	3	3	4	10.2			DEAD			
	3	3	5				DEAD			
	3	3	6	10.5			DEAD			
	3	3	7	9.4			DEAD			
	3	3	8	10.5	32.2	14.9				
	3	3	9	10.8			DEAD			
	3	3	10	10.7			DEAD			
<b>A.melanoxylon Silver Ck</b>	4	3	1	2.4						0
<i>3 alive, &lt; 10 cm</i>	4	3	2	0.6						
	4	3	3	1.9						
	4	3	4	2.5						
	4	3	5	1.8						
	4	3	6							
	4	3	7	4.3						
	4	3	8	3.5						
	4	3	9	2.2						
	4	3	10	1.3						
<b>E.camaldulensis Ovens</b>	5	3	1	5.1						0
<i>all dead</i>	5	3	2							
	5	3	3							
	5	3	4	0.2						
	5	3	5	4.8						
	5	3	6							
	5	3	7							
	5	3	8							
	5	3	9	3.8						
	5	3	10	4.5						
<b>E.camaldulensis Albacutya</b>	6	3	1	5.9						0



	15	3	6	7.8	36.1	17.2						
	15	3	7	5.2			DEAD					
	15	3	8	8.2	37.2	15.5						
	15	3	9	9.6	41.0	16						
	15	3	10	6.4			DEAD					
<b>E.benthami NSW</b>	16	3	1	7.7	41.8			32.9	17.7	70		
	16	3	2				DEAD					
	16	3	3	5.0			DEAD					
	16	3	4	7.4	34	15						
	16	3	5	6.1			DEAD					
	16	3	6	9.1	31.0	18						
	16	3	7	7.7	27.0	18.1						
	16	3	8	8.0	30.6	19.5						
	16	3	9	8.4			T					
	16	3	10	6.1			T					
<b>E.macarthurii NSW</b>	17	3	1	0.2			DEAD	27.2	15.4	70		
	17	3	2	6.7	21.0	15.6						
	17	3	3	7.6	26.0	15.8						
	17	3	4	7.2			T					
	17	3	5	9.6	32.7	14.4						
	17	3	6	8.2	28.7	17.3						
	17	3	7	9.3	35.0	16.8						
	17	3	8	7.4			DEAD					
	17	3	9	8.4	19.9	12.6						
	17	3	10	9.4			DEAD					



Bruarong Provenance Trial - Agroforestry Project 1994. Measured August 1994.									
Species/Provenance	Species No.	Block	AvHt94 (m)	AvDiam (cm)	AvVol (m3)	Surv %	AvHt07 (m)	Diam 07(cm)	AvVol 07(m3)
A.mearnsii Bungendore	1	1	10.2	12.8	0.057	100	25.4	15.2	100
A.mearnsii Bungendore	1	2	9.5	11.8	0.045	87	21	14	80
A.mearnsii Bungendore	1	3	10.1	11.7	0.047	90	22	14	20
A.mearnsii Beechworth	2	1	8.5	10.1	0.030	100	24	10	100
A.mearnsii Beechworth	2	2	8.5	9.0	0.024	100	18	13	87
A.mearnsii Beechworth	2	3	9.8	9.3	0.029	90	15	13	10
A.dealbata Errinundra	3	1	9.3	13.1	0.055	93	29	14	87
A.dealbata Errinundra	3	2	9.4	11.5	0.044	93	28	13	77
A.dealbata Errinundra	3	3	9.0	12.0	0.047	90	32	15	10
A.melanoxylon Silver Ck	4	1	4.5	4.6	0.004	100	12	9	97
A.melanoxylon Silver Ck	4	2	4.8	4.8	0.005	73	28	13	77
A.melanoxylon Silver Ck	4	3	2.3	2.7	0.001	90	0	0	0
E.camaldulensis Ovens	5	1	3.2	3.2	0.001	100	8	8	73
E.camaldulensis Ovens	5	2	3.4	3.2	0.002	100	0	0	0
E.camaldulensis Ovens	5	3	3.7	3.9	0.003	50	0	0	0
E.camaldulensis Albacutya	6	1	3.7	4.6	0.003	93	10	8	93
E.camaldulensis Albacutya	6	2	3.3	3.1	0.002	93	0	0	0
E.camaldulensis Albacutya	6	3	5.4	3.9	0.003	50	0	0	0
E.camaldulensis Clone 1	7	1	1.6	1.1	0.000	100	0	0	0
E.camaldulensis Clone 1	7	2	1.9	1.3	0.000	100	0	0	0
E.camaldulensis Clone 1	7	3	1.1	0.5	0.000	90	0	0	0
E.camaldulensis Clone 2	8	1	1.9	1.1	0.000	100	4	4	27
E.camaldulensis Clone 2	8	2	1.5	0.7	0.000	87	0	0	0
E.camaldulensis Clone 2	8	3	1.1	0.4	0.000	70	0	0	0
E.nitens Brown Mtn	9	1	10.5	13.3	0.062	80	37	21	7
E.nitens Brown Mtn	9	2	9.0	13.7	0.062	93	33	12	13
E.nitens Brown Mtn	9	3	10.4	13.1	0.064	90	39	15	40
E.globulus Beechworth	10	1	10.8	16.0	0.095	100	45	18	47
E.globulus Beechworth	10	2	8.6	10.0	0.031	100	32	17	93
E.globulus Beechworth	10	3	10.0	12.4	0.053	90	34	18	80
E.globulus Tasmania	11	1	4.8	3.9	0.003	67	15	13	7
E.globulus Tasmania	11	2	8.5	8.1	0.022	60	21	18	44
E.globulus Tasmania	11	3	6.6	7.8	0.019	80	21	15	10
E.melioidara Gundaroo	12	1	1.4	1.6	0.000	93	0	0	0
E.melioidara Gundaroo	12	2	1.3	0.9	0.000	100	0	0	0
E.melioidara Gundaroo	12	3	3.0	3.1	0.002	80	0	0	0
E.melioidara Springhurst	13	1	0.7	0.5	0.000	67	0	0	0
E.melioidara Springhurst	13	2	2.4	1.1	0.000	80	0	0	0
E.melioidara Springhurst	13	3	1.3	0.9	0.000	80	0	0	0
E.viminalis Victoria	14	1	8.8	8.5	0.024	80	18	15	60
E.viminalis Victoria	14	2	5.9	6.9	0.012	87	0	0	0
E.viminalis Victoria	14	3	5.8	5.4	0.007	90	14	11	10
E.viminalis ACT	15	1	7.3	8.5	0.022	100	36	16	93
E.viminalis ACT	15	2	10.7	15.2	0.089	100	48.6	18.2	86
E.viminalis ACT	15	3	7.6	9.9	0.027	100	36	16	70
E.benthami NSW	16	1	5.8	6.9	0.011	87	42	15	87
E.benthami NSW	16	2	7.4	9.3	0.024	100	34	17	80
E.benthami NSW	16	3	7.3	8.8	0.021	90	33	18	70
E.macarthurii NSW	17	1	6.0	6.6	0.011	87	25	14	80
E.macarthurii NSW	17	2	6.6	8.2	0.018	100	25	15	93
E.macarthurii NSW	17	3	7.4	9.5	0.027	100	27	15	70































